

Cord winder for outdoor roller blinds, white

Product codes:

Reference: AM8298

EAN13: -

UPC: 39253000

Product features:

Color: White

Product attributes:



Product description:

The cord winder for outdoor roller blinds is used for manual operation of the blinds using a cord. It is designed as a spare part for installations with a cord of the corresponding diameter and allows wall mounting.

Technical specifications

- Product type: cord winder for outdoor roller blinds
- Color: white
- Designed for cords with a diameter of 4 to 4.5 mm
- Dimensions: 166 × 139 × 22 mm
- Design with a mechanical self-winding brake
- Wall mounting

Functions and features

- Used for winding and guiding the control cord of the outdoor roller blind.
 - Integrated self-winding brake helps to keep the cord in the desired position.
 - The cover in a white design is suitable for installation in places where color matching with the surroundings is required.
 - The construction is designed for wall mounting using mounting screws.
-

Ideal for

- Replacement of a damaged or worn cord winder of an outdoor roller blind.
- Manual operation of outdoor roller blinds with a cord of the corresponding diameter.
- Installations where a dark brown winder cover is required.

Package contents

- 1x Cord winder for outdoor roller blinds.
- Cord is not included in the package.
- Mounting screws are not included in the package.

Why choose this product

- Dimensions and design for cords with a diameter of 4 to 4.5 mm allow use as a spare part in corresponding roller blind assemblies.
- The mechanical self-winding brake provides the function necessary for manual operation of the roller blind.
- The white design meets the requirement for color-inconspicuous installation with white or light elements.

Installation and operation instructions

- Before installation, verify the diameter of the used cord.
- Fix the winder to a solid and flat surface with suitable fasteners.
- Use mounting screws corresponding to the wall material, as they are not included in the package.
- After installation, check the free movement of the cord and the correct function of the brake.

Safety warnings

- Perform installation only with the roller blind secured to prevent spontaneous movement of the roller blind.
- Do not use the winder with a damaged, frayed, or improperly sized cord.
- After installation, check the firmness of the attachment to the wall.

Product gallery:

