

Potentiometer WH148, 3-pin

Reference: AM6479

EAN13: -

HS code: 85334090

Product attributes:

Resistance: B1K, 1 kOhm, 1K, B2K, 2 kOhm, 2K, B5K, 5 kOhm, 5K, B10K, 10 kOhm, 10K, B20K, 20 kOhm, 20K, B50K, 50 kOhm, 50K, B100K, 100 kOhm, 100K, B250K, 250 kOhm, 250K, B500K, 500 kOhm, 500K, B1M, 1 mOhm, 1 m



Product features:

Tolerance: 20%

Performance: 125 mW

Waterproof grade: IP40

Number of pins: 3-pin

Product description:

Linear potentiometer with $\pm 20\%$ tolerance .

Pd - Power dissipation: 125 mW

Number of turns: 1 (300°)

Type of potentiometer: axial

Track type: wire

Potentiometer features: mono

Linearity tolerance: $\pm 5\%$

Min. insulation resistance: 1000mOhm

Dimensions: 29x25x17mm

Pin spacing: 5mm

Max. operating voltage: 200V

Shaft length: 13mm, shaft diameter: 6mm

Mounting hole diameter: 7.2mm (nut attachment)

Type designation:

B1K (1 kOhm)

B2K (2 kOhm)

B5K (5 kOhm)

B10K (10 kOhm)

B20K (20 kOhm)

B50K (50 kOhm)

B100K (100 kOhm)

B250K (250 kOhm)

B500K (500 kOhm)

B1M (1 mOhm)



