

Power supply for 3-4pcs 3W LEDs, 9-14V, 650mA

Reference: AM1309

EAN13: -

HS code: 85044090



Product attributes:

Product features:

Input voltage: 85-265 V AC, 50/60 Hz

Output voltage: 9-14V DC

Output current: 650 mA

Performance: 9-12 W

Product description:

Reliable power supply designed for power LEDs with a power of 3×3 W to 4×3 W. Provides a stable current of 650 mA and safe operation of LED lighting without flickering. Ideal for installation in spotlights, ceiling panels or decorative lighting applications.

Technical specifications

- **Model:** QH-10L03-4X3W
- **Input voltage:** AC 85-277V / 50-60Hz
- **Output voltage:** DC 9-14V
- **Output current:** 650 mA \pm 5%
- **Power:** 9-12W
- **Dimensions:** 56 \times 32 \times 22 mm
- **Efficiency:** \geq 85%
- **Protection:** IP40
- **Certification:** CE, FCC

Functions and features

- Stabilized output current to protect LEDs from overload.
- The universal input range of 85-277 V AC allows for worldwide use.
- Built-in protection against short circuit, overload and overheating.
- Compact plastic case with easy assembly.
- Color-coded wires for quick and safe connection – blue and brown (AC IN), red and white (DC OUT).

Ideal for

- Power supply for 3 W LEDs (3-4 pcs in series).
- LED spotlights, ceiling lights and light panels.
- Advertising, decorative and architectural lighting.
- Home and professional lighting installations.

Package contents

- 1 x LED driver QH-10L03-4X3W – 650 mA

Why choose this product?

- High efficiency and stable output for longer LED life.
- Safe operation thanks to multi-level protections.
- Wide compatibility with 9-12W LED chips and modules.
- Compact dimensions and low weight for easy integration.
- The ideal choice for reliable LED power supply in professional installations.

