

# Metal LED indicator with wires, for hole diameter 16mm, silver

## Product codes:

Reference: AM7678

EAN13: -

UPC: 85414100



## Product features:

Current: 20 mA

Color: Silver

Housing material: Aluminium

Waterproof grade: IP65

Lifetime: 40,000 hours

## Product attributes:

Tension: 3-6 V DC, 12-24 V DC, 110-220 V AC

Backlight color: Red, Green, Blue, Yellow, White

## Product description:

The universal metal LED indicator with a diameter of 16 mm is ideal for signaling power, device operation or circuit status. Thanks to the wide voltage range and availability in five colors (red, green, yellow, blue, white), it finds application in industrial panels, machines, electrical cabinets and home DIY projects.

## Technical specifications

- **Model:** HYD-L-16
  - **Mounting hole diameter:** 16 mm
  - **Supply voltage:** 3-6V / 12-24V / 110-220V (depending on variant)
  - **Light source type:** LED
  - **Body material:** metal (aluminum alloy)
  - **LED colors:** red, green, yellow, blue, white
  - **Protection level:** IP65
-

- **Mechanical resistance:** IK08
- **LED life:** up to 40,000 hours
- **Dimensions:** 21.4 × 23.6 mm
- **Connection:** 150mm wires
- **Operating temperature:** -25°C to +80°C
- **Weight:** 12 g

#### **Functions and features**

- High luminosity and low energy consumption
- Metal body with high mechanical resistance
- Flame-retardant base
- Suitable for mounting in a panel with a diameter of 16 mm
- Easy connection – wires or screw terminals
- High reliability and long service life
- Available in five color options for different signaling purposes

#### **Ideal for**

- Industrial and laboratory equipment
- Control panels and switchboards
- Machines, tools, lathes and CNC
- DIY projects, electronic constructions
- Automation and measurement technology

#### **Package contents**

- 1× metal signal light HYD-L-16 (color according to the selected variant)
- 1× mounting nut
- 1× sealing ring (O-ring)

#### **Why choose this product?**

- Universal power supply range 3–220 V AC/DC
- IP65 protection for use even in harsh conditions
- Durable metal construction with long service life
- Availability of multiple color options for clear signaling
- Easy installation, compact dimensions and elegant appearance

#### **Product gallery:**

---

