

# Adhesive tape with glass fibers, longitudinal fibers, 50m, thickness 0.14mm

## Product codes:

Reference: AM5806

EAN13: -

UPC: 39191080

## Product features:

Length: 50 m

Color: Transparent



## Product attributes:

Width: 50 mm

## Product description:

Reinforced filament tape with glass fibers is designed for strong bundling, fixation and securing of materials during transport and operation. Thanks to the glass fiber reinforcement, it provides high tensile strength and is suitable for applications where conventional adhesive tape does not achieve the required mechanical strength.

## Technical specifications

- Type: reinforced adhesive tape (filament) with glass fibers
- Design: transparent tape with longitudinal reinforcing fibers
- Adhesive: synthetic rubber (rubber-based) with high adhesion
- Durability: increased tensile strength, abrasion resistance, moisture resistance
- Temperature resistance: declared resistance up to 80 °C
- Thickness: 0.14mm
- Widths: 10 mm, 20 mm, 30 mm, 40 mm, 50 mm (other widths available on request)
- Length: 50 meters

## Functions and features

---

- Fiberglass reinforcement to increase strength and reduce elongation
- Suitable for firmly tying and securing objects without slipping
- Moisture-resistant surface for normal storage and transport conditions
- Good abrasion resistance during handling
- Typically leaves no visible adhesive residue on smooth surfaces after removal

#### **Ideal for**

- Securing and closing shipping containers and cartons
- Binding and fixing parts during storage and transport
- Strapping and securing heavier objects and metal profiles
- Temporary fastening of parts and components in the workshop and in production

#### **Package contents**

- 1x roll of filament tape (width according to the selected variant)

#### **Why choose this product?**

- Mechanical glass fiber reinforcement increases strength compared to conventional packaging tapes
- Synthetic rubber adhesive provides reliable adhesion for fixing and bundling
- Available width options for precise application adaptation, other widths on request
- Suitable for industrial use, logistics and service applications

#### **Installation and operating instructions**

- Clean and dry the surface before application to ensure stable adhesion
- Apply the tape with adequate tension in the direction of the fibers to achieve maximum strength.
- When using on sensitive surfaces, we recommend checking compatibility on a small area.

#### **Safety notice**

- This is not an insulating material for electrical equipment; do not use as a substitute for electrical tape.
- Keep out of reach of children.

#### **Product gallery:**

---

