

Alkaline battery GP 3LR12 4.5V

Product codes:

Reference: AM8445

EAN13: 4891199056826

UPC: 85078000

Product features:

Voltage: 4.5 V DC

Operating temperature: -20°C - +54°C

IEC designation: 3LR12



Product attributes:

Product description:

The GP 3LR12 4.5 V alkaline battery is a primary non-rechargeable flat battery designed to power devices with the corresponding battery format. It is suitable for devices with longer-term current consumption, where stable power supply and easy battery replacement are required.

Technical specifications

- Brand: GP
- Type: 3LR12
- IEC designation: 3LR12
- Rated voltage: 4.5V
- Chemical composition: alkaline manganese battery
- Design: flat battery
- Non-rechargeable version
- Dimensions: 62 x 22 x 67 mm
- Weight: 165g
- Operating temperature: -20°C to +54°C
- Maximum shelf life: 3 years
- Order number: B1360

Functions and features

- Primary alkaline battery for single use.
 - Flat design with contacts for installation in devices designed for
-

3LR12 format.

- Construction with plastic casing.
- Without added mercury and cadmium.
- Suitable for devices with low and long-term current consumption.

Ideal for

- Remote controls
- Clocks and alarms
- Calculators
- Wireless sensors
- Dials and other devices using the 3LR12 battery

Package contents

- 1 pc. GP 3LR12 4.5 V alkaline battery

Why choose this product?

- Clearly defined 3LR12 format for compatible devices.
- Alkaline chemical composition suitable for long-term power supply of undemanding devices.
- Non-rechargeable design without the need for charging infrastructure.
- The dimensions and weight listed make it easy to check compatibility when replacing.

Installation and operating instructions

- Before inserting, verify the correct battery type and required device voltage.
- Observe the marked polarity of the contacts.
- Use only in devices designed for 3LR12 battery format.
- Do not attempt to charge the battery.
- We recommend removing the battery when not using the device for a long time.

Safety notice

- Do not recharge, disassemble, short-circuit, or expose to fire.
 - Incorrect insertion or short circuiting may cause overheating, electrolyte leakage and damage to the device.
 - Do not combine with other types, brands or used batteries.
 - Keep out of reach of children.
 - After discharge, hand in the battery to a collection point for used batteries.
-

Product gallery: