

# Termostat KSD9700, keramika 250V/10A, NC

## Šifre proizvoda:

Šifra proizvoda: AM1443

EAN13: -

HS kód: 90321020



## Parametri proizvoda:

Trenutno: Max. 10 A

Napetost: 250 V AC

Kontakt: NC (normalno zatvoreno)

Pokriti: IP65

## Varijante proizvoda:

Radna temperatura: 40 °C, 45 °C, 50 °C, 55 °C, 60 °C, 65 °C, 70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 95 °C, 100 °C, 105 °C, 110 °C, 115 °C, 120 °C, 125 °C, 130 °C, 135 °C, 140 °C, 145 °C, 150 °C, 155 °C, 160 °C, 165 °C, 170 °C, 175 °C, 180 °C, 185 °C, 190 °C, 195 °C, 200 °C

## Opis proizvoda:

Potpuno zatvoreni termostat industrijske kvalitete. Otvara se kada se postigne propisana temperatura. Na nižoj temperaturi, termostat je zatvoren.

Primjenjivo za sve vrste kućanskih aparata i elektroničkih proizvoda. Na primjer, elektromotori, fluorescentna svjetla, punjači baterija, transformatori, solenoidi, grijači, grijaće mreže i drugo.

Keramičko tijelo

NC krug (normalno zatvoren)

automatski reset

---

radni napon 250V AC/ 125V AC  
maksimalna struja 10A

brzina odgovora  $\leq 1^{\circ}\text{C}/\text{min}$

otpor kruga:  $\leq 50\text{m}\Omega$

izolacijski otpor:  $\geq 100\text{ M}\Omega$

životni vijek: do 10.000 prekidača  
metalno kućište

mjesto izlaza: radijalno  
dimenzija: 20x8,5x5 mm  
duljina kabela: 70 mm  
cijena za 1 komad

<b>Operativni temperatura</b>	<b>Mogućnost resetiranja temperatura</b>	<b>Operativni temperatura</b>	<b>Mogućnost resetiranja temperatura</b>
25 $\pm$ 5 $^{\circ}\text{C}$	$\geq 15^{\circ}\text{C}$	105 $\pm$ 5 $^{\circ}\text{C}$	75 $\pm$ 15 $^{\circ}\text{C}$
30 $\pm$ 5 $^{\circ}\text{C}$	$\geq 20^{\circ}\text{C}$	110 $\pm$ 5 $^{\circ}\text{C}$	75 $\pm$ 15 $^{\circ}\text{C}$
35 $\pm$ 5 $^{\circ}\text{C}$	$\geq 25^{\circ}\text{C}$	115 $\pm$ 5 $^{\circ}\text{C}$	80 $\pm$ 15 $^{\circ}\text{C}$
40 $\pm$ 5 $^{\circ}\text{C}$	$\geq 30^{\circ}\text{C}$	120 $\pm$ 5 $^{\circ}\text{C}$	85 $\pm$ 15 $^{\circ}\text{C}$
45 $\pm$ 5 $^{\circ}\text{C}$	$\geq 33^{\circ}\text{C}$	125 $\pm$ 5 $^{\circ}\text{C}$	85 $\pm$ 15 $^{\circ}\text{C}$
50 $\pm$ 5 $^{\circ}\text{C}$	$\geq 35^{\circ}\text{C}$	130 $\pm$ 5 $^{\circ}\text{C}$	90 $\pm$ 15 $^{\circ}\text{C}$
55 $\pm$ 5 $^{\circ}\text{C}$	42 $\pm$ 6 $^{\circ}\text{C}$	135 $\pm$ 5 $^{\circ}\text{C}$	95 $\pm$ 15 $^{\circ}\text{C}$
60 $\pm$ 5 $^{\circ}\text{C}$	48 $\pm$ 10 $^{\circ}\text{C}$	140 $\pm$ 5 $^{\circ}\text{C}$	100 $\pm$ 15 $^{\circ}\text{C}$
65 $\pm$ 5 $^{\circ}\text{C}$	48 $\pm$ 10 $^{\circ}\text{C}$	145 $\pm$ 5 $^{\circ}\text{C}$	100 $\pm$ 15 $^{\circ}\text{C}$
70 $\pm$ 5 $^{\circ}\text{C}$	50 $\pm$ 12 $^{\circ}\text{C}$	150 $\pm$ 5 $^{\circ}\text{C}$	105 $\pm$ 15 $^{\circ}\text{C}$
75 $\pm$ 5 $^{\circ}\text{C}$	53 $\pm$ 14 $^{\circ}\text{C}$	155 $\pm$ 5 $^{\circ}\text{C}$	110 $\pm$ 15 $^{\circ}\text{C}$
80 $\pm$ 5 $^{\circ}\text{C}$	55 $\pm$ 15 $^{\circ}\text{C}$	160 $\pm$ 5 $^{\circ}\text{C}$	115 $\pm$ 15 $^{\circ}\text{C}$
85 $\pm$ 5 $^{\circ}\text{C}$	60 $\pm$ 15 $^{\circ}\text{C}$	165 $\pm$ 5 $^{\circ}\text{C}$	115 $\pm$ 15 $^{\circ}\text{C}$
90 $\pm$ 5 $^{\circ}\text{C}$	65 $\pm$ 15 $^{\circ}\text{C}$	170 $\pm$ 5 $^{\circ}\text{C}$	120 $\pm$ 15 $^{\circ}\text{C}$
95 $\pm$ 5 $^{\circ}\text{C}$	70 $\pm$ 15 $^{\circ}\text{C}$	175 $\pm$ 5 $^{\circ}\text{C}$	125 $\pm$ 15 $^{\circ}\text{C}$
100 $\pm$ 5 $^{\circ}\text{C}$	70 $\pm$ 15 $^{\circ}\text{C}$	180 $\pm$ 5 $^{\circ}\text{C}$	130 $\pm$ 15 $^{\circ}\text{C}$

## Galerija:

